

innoVi Hardware Specification for On-Premise Testing



The following tables provide the minimum hardware required to run innoVi On-Premise solution on a single server.

Up to 4 Cameras

Server	A single server, VM or bare metal The server should not host other non-innoVi applications
CPU	A minimum of 6 processing cores (12 logical cores) based on Intel® Xeon® Skylake architecture or newer
Memory	32GB
Disk Space	For Operating System, application, and data: 300GB
Operating System	<ul style="list-style-type: none"> • Ubuntu 20.04, LTS 64-bit, Server Edition with no GUI installed • RedHat, RHEL 7.9, rhel-server-7.9-x86_64-dvd.iso
Supported Cameras	4 cameras, H.264, 720p, 8 FPS

Up to 10 Cameras

Server	A single server, VM or bare metal The server should not host other non-innoVi applications
CPU	A minimum of 16 processing cores (32 logical cores) based on Intel® Xeon® Skylake architecture or newer
Memory	64GB
Disk Space	For Operating System, application, and data: 300GB
Operating System	<ul style="list-style-type: none"> • Ubuntu 20.04, LTS 64-bit, Server Edition with no GUI installed • RedHat, RHEL 7.9, rhel-server-7.9-x86_64-dvd.iso
Supported Cameras	H.264, up to 30 FPS <ul style="list-style-type: none"> • 5 cameras with 1080p resolution • 10 cameras with 720p resolution

Note: for cameras with H.265 video compression or with higher resolution, and for higher camera count - consult with Agent Vi at innovi-presales@agentvi.com

Agent Video Intelligence Ltd.

Americas: +1-855-AgentVi (+1-855-243-6884) EMEA: +972-72-220-1500 S.E. Asia: +65-6813-2064

For more information, visit: www.agentvi.com or email: sales@agentvi.com